

NEW

Welcome to the World of Functional Digital Dentistry



High
Quality
Dental
Solutions

OnexDental — TECHNOLOGY —



OPTIC JMA

zebris



The New Dimension in Jaw Movement Analysis - the zebris **JMA^{Optic}** System

The **JMA^{Optic}**-system expands the proven and especially practical zebris JMA systems with latest-generation optical sensor technology, and thus opens up new dimensions of functional dentistry.

The analyser consists of a handy stand-alone face bow with a lower jaw sensor and – in addition to condylar movement – is capable of recording the lower jaw's range of motion over all degrees of freedom with high precision.

Its uses cover a wide range of applications, from creating functional dental restorations to planning, documentation and monitoring of the stomatognathic rehabilitation.

The system can be operated over a USB interface or optionally completely cordlessly over Wi-Fi.

The face bow fastens easily with a few simple adjustments of the nasion support, headband and support pads on the spring-mounted side arms.


Via the C-Positioner a head-related reference plane as well as facial characteristics can be entered.

A table stand which simultaneously serves as an inductive charging station secures a convenient storage of the components.

The extremely small and lightweight lower jaw sensor fastens magnetically onto paraocclusal or occlusal attachments and is attached to the lower teeth.



Safe and comfortable – the face bow has cushioned pads and a headband for support.



The C-Positioner enables the recording of the bipupillary, mouth and bite position.



Always quickly at hand – table stand with inductive charging station.

Real patient data or settings of virtual articulators can be transferred to external CAD systems by exporting in standardised XML format.

The system is thus an integral component in the digital workflow for creating functional dental prostheses.

Simple procedure establishes the exact relationship between the movement data in the measuring system and the surfaces of the teeth scanned by the model or intraoral scanner.

A bite fork is part of the new zebris transfer stand and allows easy transfer of the maxillary position to mechanical articulators. Use of a mechanical face bow thus becomes superfluous.

The modular and intuitive analytical software WINJAW+ includes a database, the basic module for determining settings for mechanical and virtual articulators, and an export function.

Expansion modules are optionally available for digital occlusion analyses, for functional analyses, positional analyses of the condyles, determination of a neuromuscular jaw relation and for programming the CEREC articulator.


The system is operated via PC and can be conveniently stored and transported in the included case.



Transfer stand for transferring the maxillary position to mechanical articulators using the bite fork.



Representation of the static and dynamic contact situation with the software modul "digital occlusion analysis".



The software's basic module enables programming articulators and export XML data to external CAD/CAM systems.

High
Quality
Dental
Solutions

OnexDental
— TECHNOLOGY —

zebris

Compact and Transportable – the Complete **JMA^{Optic}**



The system includes:

- Electronic face bow
- Lower jaw sensor
- C-Positioner with pointer and measuring bracket
- Small parts
- Software WINJAW⁺
- Carry case

Available options:

- Table stand / inductive charger
- Foot switch
- Software expansion modules

**The system can be ordered
with notebook ready for use.
(Specifications on request)**

Base color: white RAL 9003

High
Quality
Dental
Solutions

OnexDental
— TECHNOLOGY —

Onex Dental Tic. Ltd. Şti.
19 Mayıs Mah. Büyükdere Cad.
Gümülcineli Apt. 16/9
34363 Şişli - İSTANBUL
Tel : +90 212 231 03 20 - 231 03 26
Fax: +90 212 231 02 80
info@onexdental.com
www.onexdental.com

Innovation award winner 2019/20



zebris Medical GmbH · Germany · P.O. Box 1143
D-88305 Isny im Allgäu · Am Galgenbühl 14 · D-88316 Isny im Allgäu
Phone +49-7562-97260 · Fax +49-7562-972650
info@zebris.de · www.zebris.de

©zebris 03/2023
Subject to technical and
other modifications.

zebris